GETRÄNKE-TECHNOLOGIE



HOT DRINKS BEVERAGE SYSTEMS

Season 2023/24



Fast beverage systems

for mulled wine, jagertee, tea, punch, julischka, cocoa and more hot drinks.



Cold winter air, illuminated Christmas stalls in the evening light and a very special scent of cookies, waffles or candy floss. A stroll through a Christmas market is wonderful. What many people can't do without is a delicious hot drink. Whether it's mulled wine, punch or cocoa, the main thing is it's nice and warm and tasty.

These liquid delicacies are served professionally and in a user-friendly way with the Friedhelm Selbach GmbH hot drinks dispensers. The mulled wine, tea or Jagertee is transported from the canister, tank or bag-in-box container into the machine through the beverage line. The drink is gently heated there so that all the spice flavours are preserved. In the case of alcoholic drinks, gentle warming ensures that the drink's alcohol content and the original taste remain unchanged until it is served.

But that doesn't mean you have to wait long for your hot drink. Drinks can be drawn just a few minutes after connecting the machine and up to 100 litres can be dispensed within an hour. Even after serving breaks, the drink is very quickly available again at the desired temperature. The temperature can be set using the machine's thermostat button.

Machines are available in various designs and versions. For example in the form of a horizontal wine barrel, or as a shapely stainless steel machine with burgundy lacquered side panels. The real wood barrel version holds a certain fascination and goes wonderfully with the ambience of wooden Christmas huts. The tap systems are offered with 2 or 3 taps. The ball taps (heated) and the drip tray are included in the scope of delivery.



High quality dispensing systems

Our hot drinks dispensers are developed and manufactured in Germany. And have been for over 35 years. You will find many of our systems at German Christmas markets. The "Made in Germany" quality is also well known abroad. The advantages of our dispensers are obvious: easy handling, long service life and best quality.

- Ready to draw in 5 minutes only
- High output at 100 litres per hour
- Adjustable serving temperature
- Continuous heating (without tap breaks)
- The drink's flavour and consistency is fully preserved
- Complete package incl. accessories for instant connection/operation
- Different casing versions





Vulcano II EP OTHG 105 Complete package Art.-no. 08K3049-0520-000

Hot drinks dispenser in stainless steel casing. Burgundy side panels. With 2 beverage lines and 2 fitted ball taps. Includes attachable drip tray. Inside diameter of beverage lines 7 mm. Included accessories: 2 beverage hoses, 2 feed pipes, spanner wrench for ball valve, 2 mesh sleeves, 5 OTHG fit PROFI cleaning agent sachets.

Lines	i.d.	Details	Artno.
2 7 mm		with electric pumps, mounted with ball valves (SK 343-031), complete package accessories included	08K3049-0520-000





2.298.

Vulcano III EP OTHG 105 Complete package Art.-no. 08K3049-0530-000

Hot drinks dispenser in stainless steel casing. Burgundy side panels. With 3 beverage lines and 3 fitted ball taps. Includes attachable drip tray. Inside diameter of beverage lines 7 mm. Included accessories: 3 beverage hoses, 3 feed pipes, spanner wrench for ball valve, 3 mesh sleeves, 5 OTHG fit PROFI cleaning agent sachets.

Lines	i.d.	Details	Artno.
3	7 mm	with electric pumps, mounted with ball valves (SK 343-031), complete package accessories included	08K3049-0530-000



Accessories for hot drinks dispensers

A

Cleaning:

cleaning during operation must be done in accordance with DIN 6650-6 every 7-14 days for hot drinks containing alcohol and daily for drinks containing protein with OTHG fit PROFI cleaning agent. More information can be found in the instruction manual for the particular machine design.

Seasonal product! Production and delivery only October to January.

* Prices (EUR) are sales prices without any quantity-based discounts and do not include VAT, packaging and shipping costs. Sale exclusively to commercial end users. Subject to changes and errors. Prices valid until January 31, 2024.

GETRÄNKE-TECHNOLOGIE



2.411.



Vulcano II GP OTHG 105 Complete package Art.-no. 08K3046-0520-000

Hot drinks dispenser in stainless steel casing. Burgundy side panels. With 2 beverage lines and 2 fitted ball taps. Includes attachable drip tray. Inside diameter of beverage lines 7 mm. Included accessories: 2 beverage hoses, 1 CO_2 -hose, pressure regulator, fork wrench for pressure regulator, 2 feed pipes, spanner wrench for ball valve, 2 mesh sleeves, 5 OTHG fit PROFI cleaning agent sachets.

Lines	i.d.	Details	Artno.
2	7 mm	with gas-powered pumps, mounted with ball valves (SK 343-031), complete package accessories included	08K3046-0520-000





Vulcano III GP OTHG 105 Complete package Art.-no. 08K3046-0530-000

Hot drinks dispenser in stainless steel casing. Burgundy side panels. With 3 beverage lines and 3 fitted ball taps. Includes attachable drip tray. Inside diameter of beverage lines 7 mm. Included accessories: 3 beverage hoses, 1 CO_2 -hose, pressure regulator, fork wrench for pressure regulator, 3 feed pipes, spanner wrench for ball valve, 3 mesh sleeves, 5 OTHG fit PROFI cleaning agent sachets.

	Lines	i.d.	Details	Artno.
)	3	7 mm	with gas-powered pumps, mounted with ball valves (SK 343-031), complete package accessories included	08K3046-0530-000

Technical datas	Vulcano II EP	Vulcano III EP	Vulcano II GP	Vulcano III GP
Temperature range for serving drinks	approx. 30 - 85°C	approx. 30 - 85°C	approx. 30 - 85°C	approx. 30 - 85°C
Ready to draw after switch on	approx. 5 minutes	approx. 5 minutes	approx. 5 minutes	approx. 5 minutes
Output	100 litres per hour	100 litres per hour	100 litres per hour	100 litres per hour
Connection voltage	400 V / 50 Hz	400 V / 50 Hz	400 V / 50 Hz	400 V / 50 Hz
Power	12,5 A	12,5 A	12,5 A	12,5 A
Connected load	CEE plug, 5 pole, 400 V, 16 A, 3PH+N	CEE plug, 5 pole, 400 V, 16 A, 3PH+N	CEE plug, 5 pole, 400 V, 16 A, 3PH+N	CEE plug, 5 pole, 400 V, 16 A, 3PH+N
Capacity	9,000 watts	9,000 watts	9,000 watts	9,000 watts
W/D/H	290/520/463 mm	290/520/463 mm	290/520/463 mm	290/520/463 mm
Weight	approx. 35 kg	approx. 35 kg	approx. 35 kg	approx. 35 kg



Limited quantity! While stocks last



Hot drinks dispenser in black plastic barrel. With 2 beverage lines and 2 fitted ball taps. Includes drip tray that can be placed in front. Inside diameter of beverage lines 7 mm. Included accessories: 2 beverage hoses, 2 feed pipes, spanner wrench for ball valve, 2 mesh sleeves, 5 OTHG fit PROFI cleaning agent sachets.

Lines	i.d.	Details	Artno.
2	7 mm	with electric pumps, mounted with ball valves (SK 343-031), complete package accessories included	08K3045-0526-000



1.983,



WOODEN BARREL OTHG 105 Complete package Art.-no. 08K3211-0520-000

Hot drinks dispenser in a natural wooden barrel. With 2 beverage lines and 2 fitted ball taps. Includes drip tray that can be placed in front. Inside diameter of beverage lines 7 mm. Included accessories: 2 beverage hoses, 2 feed pipes, spanner wrench for ball valve, 2 mesh sleeves, 5 OTHG fit PROFI cleaning agent sachets.

Lines	i.d.	Details	Artno.
2	7 mm	with electric pumps, mounted with ball valves (SK 343-031), complete package accessories included	08K3211-0520-000

Technical datas	Hot barrel	Wooden barrel
Temperature range for serving drinks	approx. 30 - 85°C	approx. 30 - 85°C
Ready to draw after switch on	approx. 5 minutes	approx. 5 minutes
Output	100 litres per hour	100 litres per hour
Connection voltage	400 V / 50 Hz	400 V / 50 Hz
Power	12,5 A	12,5 A
Connected load	CEE plug, 5 pole, 400 V, 16 A, 3PH+N	CEE plug, 5 pole, 400 V, 16 A, 3PH+N
Capacity	9,000 watts	9,000 watts
W/D/H	308/520/463 mm	445/520/530 mm
Weight	approx. 30 kg	approx. 47 kg



Cleaning:

cleaning during operation must be done in accordance with DIN 6650-6 every 7-14 days for hot drinks containing alcohol and daily for drinks containing protein with OTHG fit PROFI cleaning agent. More information can be found in the instruction manual for the particular machine design.


Seasonal product! Production and delivery only October to January.

* Prices (EUR) are sales prices without any quantity-based discounts and do not include VAT, packaging and shipping costs. Sale exclusively to commercial end users. Subject to changes and errors. Prices valid until January 31, 2024.


CONNECTION AND OPERATING INSTRUCTIONS



Connection with electric pump



Connection with gas-powered pump



 $\rm CO_2$ consumption: approx. 0.7 kg per 100 l drink at approx. 2.5 bar

Electrical or gas-powered drinks pumps?

Our machines with electrical drinks pumps are extremely practical and quickly ready to use. Connect the drinks hose to the machine, place the other end of the hose (with the perforated sleeves) in the drink container and serve. This machine version is always ideal if the drink container and machine are not far apart: maximum cable length 5 metres, maximum height difference 1 metre.

Our machines with gas-powered drinks pumps also need CO2, compressed air or nitrogen to pump the drink. The cable length for this can then be up to a maximum of 10 metres, the height difference 3 metres maximum.



Accessories for hot beverage dispensers with electric pumps



Accessories for hot beverage dispensers with gas-powered pumps

CLEANING

Only the cleaning agents produced by the manufacturer (SELBACH) may be used. The cleaning agent is mixed with water from the sachet according to the instructions and is aspirated through the pumps at the lowest temperature setting as for a drawing off operation. After a treatment time of 15–20 minutes, the dispenser is rinsed with drinking water (min 5 l per line) until the cleaning agent is completely eliminated. See instructions for more information.

Designation	Details	Pack. unit	Art. no.	Price (EUR)
Detergent OTHG fit PROFI	Sachet for cleaning and disinfecting hot drinks dis- pensers in accordance with DIN 6650-6 (every 7-14	1	94-1038-0000	on request
	days for drinks containing alcohol, daily for drinks containing milk and protein)	50	94-1038-0050	on request
Cleaning box OTHG	consisting of: dosing bottle, cleaning ball for valve, cleaning brush, spray bottle 500 ml, nitrile gloves (10 pcs.), quick-disinfectants, 2 sachets OTHG fit PROFI	1	94-0520-0000	on request



Note on operation with drinks containing protein (e.g. hot chocolate):

- 1 The maximum permissible processing temperature for the drink may not be exceeded under any circumstances. This depends on the particular manufacturer. "Burning" must be strictly avoided to protect the machine.
- 2 The "medium temperature setting" on the machine should not be exceeded.
- 3 We recommend the use of hot chocolate which can be heated to max. 85 °C (including www.naarmann.de).
- Daily cleaning with OTHG fit PROFI in accordance with DIN 6650-6.



ACCESSORIES and SPARE PARTS



We also offer accessories and spare parts for our hot drinks beverage systems. Please ask our sales department for the prices of these items (verkauf@selbach.com or phone +49 2195 6801-0). If you need further accessories or spare parts, our sales department will be happy to help you.

Designation	Details		Pack. unit	Art. no.	Price (EUR)
Flojet diaphragm pump for electric OTHG	Pre-assembled and adjusted		1	50-0352-0000	on request
Flojet diaphragm pump for gas-powered OTHG	Gas pressure without vacuu	n switch	1	50-0028-0000	on request
CO ₂ hose ¹	with 3/4" wing nut, length ap	oprox. 2.5 m	1	26-0629-0000	on request
CO ₂ pressure regulator ¹	with screw neck for the comp connection	1	22-0415-0000	on request	
Fork wrench ¹	for main pressure regulator (v	1	91-0101-0000	on request	
Ball valve (SK 343-031)	Stainless steel (VA), with 55 m I-Ø 7 mm	tainless steel (VA), with 55 mm screw neck, G 5/8",		23-1036-0000	on request
Sealing kit for ball valve (SK 343-031)	Comprising PTFE collar, 2 O- spacer bolts	Comprising PTFE collar, 2 O-rings, spring, 2 washers, spacer bolts			on request
Ball valve (SK 301-001)	Stainless steel (VA), with 55 m I-Ø 7 mm	1	23-0179-0000	on request	
Sealing kit for ball valve (SK 301-001)	Comprising PTFE collar, 2 O-rings, spring, 2 washers, spacer bolts		1	23-0375-0000	on request
Spanner wrench for ball valve ¹	Tool to install/remove ball val	1	91-0135-0000	on request	
Drip tray	attachable, for Vulcano	1	41-0111-0000	on request	
Feed pipe ¹	St. steel (VA), 400 mm long, for extraction of drinks from the container/canister/tank		1	10-1625-0000	on request
Mesh sleeve ¹	for filtering/prevention solid particles from getting into the hot drink machine (OTHG)		1	22-0837-0005	on request
Beverage hose for units with st. steel (VA)-housing ¹	with 5/8" connection thread,	length approx. 2.5 m	1	26-0776-0000	on request
Beverage hose for OTHG barrel ¹	with 5/8" connection thread,	length approx. 2.5 m	1	26-1132-0000	on request
O-ring	for crossing tap connector to	the block	1	26-0314-0000	on request
Collecting tray stainless steel	for the hygienic, stable storage of beverage con-	712 x 562 x 30 mm	1	32-1048-0000	on request
	tainers (canister, bag-in-box container,)	1055 x 532 x 30 mm	1	32-1057-0000	on request
		1055 x 490 x 30 mm	1	32-0703-0000	on request

¹ Included in the scope of delivery for the particular complete package design.

Season 2023/24

NE\

NE

The right temperature setting for various drinks

The maximum permissible processing temperature should not be exceeded with drinks that contain protein or milk. "Burning" must be strictly avoided to protect the machine. The "medium temperature setting" (e.g. for hot chocolate) on the machine should not be exceeded. Mulled wine, on the other hand, can be served really hot (e.g.

approx. 75°C). The temperature button on the machine displays the different temperature ranges.



Practical: machine and accessories as a package

We offer our hot drinks dispensers as a practical "package". This means all the accessories you need are also included. The package version is cheaper than buying individual accessories. You are also welcome to enquire the devices without accessories.



Well protected, securely packaged - the package versions of our hot drink dispensers



Everything for seamless operation: machine at the bottom of the box, accessories on top of it



Easy unpacking of machine and accessories since the cardboard cover can easily be pulled off upwards



Accessories for a machine with electric drink pump



Many years of experience and technological Know-How



Ready to draw in 5 minutes only



High output at 100 litres per hour



Adjustable serving temperature





The drink's flavour and consistency is fully preserved



Complete package incl. accessories

GETRÄNKE-TECHNOLOGIE



Contact

Friedhelm Selbach GmbH Heisenbergstraße 5 42477 Radevormwald/ Germany verkauf@selbach.com www.selbach.com

Call us







◎ f □

Address details